

KEYED CONSTRUCTION JOINT RETAINED-IN-PLACE STEEL FORM
NO SCALE



DOWELED CONSTRUCTION JOINT
NO SCALE



KEYED CONSTRUCTION JOINT RETAINED-IN-PLACE STEEL FORM
NO SCALE



DOWELED CONSTRUCTION JOINT
NO SCALE



DETAIL A
NO SCALE



KEYED CONSTRUCTION JOINT REMOVABLE FORM
NO SCALE



CONTRACTION JOINT
NO SCALE

JOINTS WHERE SEALANT IS NOT REQUIRED



KEYED CONSTRUCTION JOINT REMOVABLE FORM
NO SCALE



CONTRACTION JOINT
NO SCALE

JOINTS WHERE SEALANT IS REQUIRED



TYPICAL SLAB REINFORCING AT RE-ENTRANT CORNER
NO SCALE



TYPICAL ISOLATION JOINT DETAIL
NO SCALE



TYPE I BASE



TYPE II BASE

CONCRETE PADS FOR FLOOR MOUNTED MECH. AND ELECT. EQUIPMENT
NO SCALE

CONCRETE EQUIPMENT PAD NOTES:
1. SEE MECHANICAL AND ELECTRICAL SHEETS FOR LOCATION OF EQUIPMENT PADS.
2. THE PLAN DIMENSIONS OF EQUIPMENT BASES AND THEIR ANCHOR BOLT LOCATIONS, SIZES, EMBEDMENTS, AND PROJECTIONS SHALL SUIT THE REQUIREMENTS OF THE APPROVED EQUIPMENT FURNISHED.



TYPICAL EXTERIOR CONCRETE EQUIPMENT PAD

SCALE: ½ INCH = 1 FOOT
12" 0 1' 2' 3' 4'

EXAMPLE 100% DESIGN

$$ – THINK VALUE ENGINEERING – $$

Revisions

Symbol	Descriptions	Date	Approved

U.S. ARMY ENGINEER DISTRICT
CORPS OF ENGINEERS
OMAHA, NEBRASKA

Designed by: X.X.X
Drawn by: X.X.X.
Checked by: X.X.X.
Reviewed by: X.X.X.
Submitted by:
Chief: Section

SITE NAME — SITE LOCATION
OMAHA DISTRICT DESIGN GUIDE

FOUNDATION DETAILS

Plot Scale Ratio: 1:1
Design File: DG10S303.DGN
Date: JUNE 2002
Spec. No.: DACA 45
Contract No.: DACA 45
Drawing Code: X
Sheet reference number: **S3.03**

COMPUTER AIDED DESIGN & DRAFTING