

| | | | | | | | | | | | | | | | | | | | |
|-------------------------------|--|--------------|--------|-----------|-----------|-----------|-------------------------------------|-----------------------------------|-----------------------------------|--|--|-----------|---------|--------------------------|------------------|----------------|---|--|--|
| Hess Corporation | Depth of cover and line abandonment information letter | Garrison | Rogers | 20-Oct-17 | 9-Nov-17 | 9-Dec-17 | 12-Nov-17 | Letter, Email, Phone conversation | SHSND, CRST, MHA, NCST, BIA, SRST | | No potential to effect | | | | | | | | |
| SDGFP | Hogrefe Fence Replacement | Ft. Randall | Clark | 18-Oct-17 | 5-Jan-18 | 5-Feb-18 | 2/21/2018 2/22/2018 2/27/2018 | Phone Call Email Phone Call | YST THPO | Concerns regarding erosion and affect to unidentified cultural resources | No Historic Properties Affected, re-seeding stipulation | 3/14/2018 | 4/14/18 | 3/16/2018 3/20/2018 | Letter Letter | SD SHPO BIA | Concurrence No Environmental Objections | | |
| SDGFP | Whetstone Bay RA Vault Toilet | Ft. Randall | Clark | 18-Oct-17 | N/A | N/A | N/A | N/A | N/A | N/A | No Potential to Affect. Previously disturbed area. 11/22/2017 | | | | | | | | |
| Charles Mx Electric | North Point Tie Line | Fort Randall | Barnum | 4-Oct-17 | 1-Nov-17 | 30-Nov-17 | 11/22/2017; 11/22/2017 | Letter; letter | BIA; YST Cultural | No agency concern; request survey and monitoring | Revised project map being developed | 2/13/2018 | 3/13/18 | 3/2/2018 | Letter | SD SHPO | No Historic Properties Affected with the stipulation that the installation be monitored by a qualified archaeologist. | | |
| FHA/SD DOT | SD 44 Bridge Replacement | Ft. Randall | Clark | 28-Sep-17 | | | | | | | Ongoing | | | | | | | | |
| Hess Corporation | Geotechnical Field Investigation | Garrison | Rogers | 28-Aug-17 | 28-Aug-17 | 28-Sep-17 | 31-Aug-17 | Letter | SHSND, CRST, MHA, NCST, BIA, SRST | | No potential to effect | | | | | | | | |
| RCWD | Phase 3 Intake & Waterline | Ft. Randall | Clark | 1-Aug-17 | 25-May-18 | 24-Jun-18 | 5/31/2018 5/31/2018 6/8/2018 | Letter Email Email | BIA WTN THPO YST THPO | No Environmental objections Requested project clarification Requested that pipeline stay within original footprint | No Historic Properties Affected, monitoring stipulation | 6/29/2018 | 7/29/18 | | | | | | |
| USACE | Replace walkways at Ft. Randall Post Cemetery | Ft. Randall | Barnum | 22-Jun-17 | 15-Feb-18 | 16-Mar-18 | | | | | Done | 4/17/2018 | 5/17/18 | 25-Apr-2018; 27-Apr-2018 | Letter; Letter | SDSHPO; BIA | Concurrence No Adverse Effect; No Objections | | |
| SD GF&P | White Swan grazing leases | Ft. Randall | Barnum | 24-Feb-17 | N/A | N/A | N/A | N/A | N/A | N/A | Done. No Potential to Affect 2/16/2018 | | | | | | | | |
| SDGFP | Randall Creek RA Work Campsites | Fort Randall | Clark | 11-Jan-17 | | | | | | | Ongoing | | | | | | | | |
| SDGFP/FL Randall Marina, Inc. | Ft. Randall Marina REA Pole Installation | Ft. Randall | Clark | 28-Aug-14 | N/A | N/A | N/A | N/A | N/A | N/A | No Potential to Affect. Previously disturbed area. Previous Cultural Clearance 9/13/2018 | | | | | | | | |